ELSEVIER

Journal of Immunological Methods 176 (1994) 281–282

JOURNAL OF IMMUNOLOGICAL METHODS

Contents to volume 176 (1994)

Number 1 – 10 November 1994

Research reports

Homogeneous immunoassay of antibody by use of liposomes made of a model lipid of archaebacteria
K. Tomioka, F. Kii, H. Fukuda and S. Katoh (Japan) 1

Primary in vitro immunization with multimeric synthetic peptides of HIV-1 envelope glycoproteins: generation of neutralizing human monoclonal antibodies
C. Fraisier, A. Ebersold, J. Blomberg and C. Desgranges (France, Sweden) 9

High immunoreactivity of lactoferrin contaminating commercially purified myeloperoxidase
M.A.P. Audrain, T.A.R. Baranger, C.M. Lockwood and V.L.M. Esnault (France, UK) 23

A new ELISA for the detection of anti-heparan sulfate reactivity, using photobiotinylated antigen
M.N. Hylkema, C. Kramers, T.J. Van der Wal, M.C.J. Van Bruggen, A.J.G. Swaak, J.H.M. Berden and R.J.T. Smeenk (Netherlands) 33

Detection of the products of polymerase chain reaction by an ELISA system based on an ion sensitive field effect transistor
H. Tsuruta, S. Matsui, T. Hatanaka, T. Namba, K. Miyamoto and M. Nakamura (Japan) 45

Measurement of neutrophil and eosinophil adhesion to E-selectin, VCAM-1, and ICAM-1 by the use of transfected fibroblast cell lines
L. Håkansson, L.S. Nielsen and P. Teder (Sweden, Denmark) 53

Multiparametric analyses of hybridoma growth on glass cylinders in a packed-bed bioreactor system with internal aeration. Serum-supplemented and serum-free media comparison for MAb production
A.M. Moro, M.T.A. Rodrigues, M.N. Gouvea, M.L.Z. Silvestri, J.E. Kalil and I. Raw (Brazil) 67

Quantitation of interferon-induced Mx protein in whole blood lysates by an immunochemiluminescent assay: elimination of protease activity of cell lysates in toto
S.-K. Oh, S. Luhowskyj, P. Witt, P. Ritch, D. Reitsma, H. Towbin, M. Horisberger, P. Von Wussow and B. Bluestein (USA, Switzerland, Germany) 79

Development of a whole blood assay to measure T cell responses to leprosy: a new tool for immuno-epidemiological field studies of leprosy immunity
R.E. Weir, A.R. Morgan, W.J. Britton, C.R. Butlin and H.M. Dockrell (UK, Nepal, Australia) 93

Measurement of the anti-HIV agent 2′,3′-didehydro-2′,3′-dideoxythymidine (D4T) by competitive ELISA
B. Ferrua, T.T. Tran, J.F. Quaranta, J. Kubar, C. Roptin, R. Condom, J. Durant and R. Guedj (France) 103

Enhanced ELISA sensitivity using TCA for efficient coating of biologically active lipopolysaccharides or lipid A to the solid phase
E. Hardy, M. Ohlin and M. Llano (Cuba, Sweden) 111

Characterization of monoclonal antibodies to 2,4-dichlorophenoxyacetic acid using a piezoelectric quartz crystal microbalance in solution
P. Skládal, M. Minunni, M. Mascini, V. Kolář and M. Fránek (Italy, Czech Republic) 117

Overexpression, purification, and characterization of third component of complement
Z. Lao, Y. Wang, M. Mavroidis, I. Kostavasili and J.D. Lambris (USA) 127

Announcements 141

Notes to authors 143

Number 2 – 2 December 1994

Review article

Immunization with DNA
J.J. Donnelly, J.B. Ulmer and M.A. Liu (USA) 145

Research reports

Amplified electrochemical immunoassay for thyrotropin using thermophilic β-NADH oxidase
D. Athey and C.J. McNeil (UK) 153

Isolation of mouse complement component C7
Y. Hitsumoto, H. Ohnishi, M. Okada, H. Nishimukai, S. Saheki and N. Takeuchi (Japan) 163

Increased sensitivity of diagnostic latex agglutination tests in an ultrasonic standing wave field
M.A. Grundy, K. Moore and W.T. Coakley (UK) 169

An ear swelling reaction for in vivo monitoring of inflammatory T cell activity in collagen-arthritic rats
B.A. 't Hart, E. Kraakman and M. Jonker (Netherlands) 179

Cell adhesion to proteins separated by lithium dodecyl sulfate-polyacrylamide gel electrophoresis and blotted onto a polyvinylidene difluoride membrane: a new cell-blotting technique
B. Seshi (USA) 185

Chamber for testing metered-dose propellant-driven aerosols of immunologically relevant proteins
A.R. Brown and J.A. Pickrell (USA) 203

The generation of monoclonal antibodies recognising novel epitopes by immunisation with solid matrix antigen-antibody complexes reveals a polymorphic determinant on feline CD4
B.J. Willett, A. De Parseval, E. Peri, M. Rocchi, M.J. Hosie, R. Randall, D. Klatzmann, J.C. Neil and O. Jarrett (UK, France, Italy) 213

Cross-reactivity of monoclonal antibodies to a chimeric V3 peptide of HIV-1 with peptide analogues studied by biosensor technology and ELISA
P.M. Richalet-Sécordel, G. Zeder-Lutz, S. Plaue, G. Sommermeyer-Leroux and M.H.V. Van Regenmortel (France) 221

In situ transcription with Tth DNA polymerase and fluorescent nucleotides
H. Chang (USA) 235

Systematic identification of H-2 K^d binding peptides and induction of peptide specific CTL
R.F. Gill, J.-P. Abastado and W.-Z. Wei (USA, France) 245

A rapid, single-step purification method for immunogenic members of the hsp 70 family: validation and application
D. Nandan, C. Daubenberger, G. Mpimbaza and T.W. Pearson (Kenya, Canada) 255

Short communications

Targeted amplification of alternatively spliced transcripts of major histocompatibility complex class I heavy chain
D. Yang and J. Le (USA) 265

A microscale method for depleting cross-reactive anti-antibodies used in indirect immunofluorescence microscopy
E.K.L. Chan, S. Takano and C.A. Von Mühlen (USA) 271

Letter to the editors

Technical issues related to checkerboard immunoblotting
T.B. Ledue, W.Y. Craig, M.F. Collins and R.F. Ritchie (USA) 275

Announcement 279

Contents to volume 176 (1994) 281

Notes to authors 283